## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Ceiling Light

Supplier's address: Zhongshan Zhaoliang Lighting Co., Ltd., 7/F, No. 30 Qingji Street, Tiebian Vil-

lage, Henglan Town, Zhongshan City, China

Model identifier: 30839713


| Type | of lig | ht so | urce: |
|------|--------|-------|-------|
|------|--------|-------|-------|

| Lighting technology used:     | LED          | Non-directional or directional: | NDLS |
|-------------------------------|--------------|---------------------------------|------|
| Light source cap-type         | Connec-      |                                 |      |
| (or other electric interface) | tion by wire |                                 |      |
| Mains or non-mains:           | NMLS         | Connected light source (CLS):   | No   |
| Colour-tuneable light source: | No           | Envelope:                       | -    |
| High luminance light source:  | No           |                                 |      |
| Anti-glare shield:            | No           | Dimmable:                       | No   |

| Product parameters  |   |                           |  |              |  |  |
|---|---|---------------------------|--|--------------|--|--|
| Parameter   |   | Value                     | Parameter  | Value        |  |  |
| General product parameters:   |   |                           |  |              |  |  |
| Energy consur<br>mode (kWh/10<br>up to the neare  | 00 h), rounded  | 36                        | Energy efficiency class  | E            |  |  |
| dicating if it refe<br>a sphere (360º)  | s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º) | 4 300 in<br>Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 6 500        |  |  |
| On-mode power (P <sub>on</sub> ), expressed in W  |   | 36,0                      | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |  |
| Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal |   | -                         | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |  |
| Outer dimen-  | Height  | 580                       | Spectral power dis-  | See image    |  |  |
| sions without   | Width   | 580                       | tribution in the   | in last page |  |  |
| separate control gear, light-   | Depth   | 80                        | range 250 nm to 800<br>nm, at full-load  |              |  |  |

| ing control parts and non- lighting con- trol parts, if any (millime- tre) |      |                              |       |  |  |
|--|------|------------------------------|-------|--|--|
| Claim of equivalent power <sup>(a)</sup>                                   | -    | If yes, equivalent power (W) | -     |  |  |
|  |      | Chromaticity coordi-         | 0,313 |  |  |
|  |      | nates (x and y)              | 0,337 |  |  |
| Parameters for LED and OLED light sources:                                 |      |                              |       |  |  |
| R9 colour rendering index value  | 1    | Survival factor              | 0,90  |  |  |
| the lumen maintenance factor   | 0,96 |                              |       |  |  |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 15/03/2022



**EPREL registration number:** 1344164 https://eprel.ec.europa.eu/qr/13

44164

Supplier: StoneX Trading (Authorised representative) Website: https://goecolighting.fr/

**Customer care service:** 

Name: Zhongshan Zhaoliang Lighting Co., Ltd. Website:

Email: goecolightingfr@163.com Phone: +447845991423

Address:

7/F, No. 30 Qingji Street, Tiebian Village, Henglan Town, Zhongshan

City, China